

In the claims:

Please amend the claims as follows:

1. (Currently Amended) An apparatus for cutting a workpiece, the apparatus comprising:
a linear feed assembly capable of automatically moving a workpiece ~~forward and backward~~ along its longitudinal axis to position the workpiece for a cut; and
an automated cutting assembly having at least one cutting blade, the cutting blade automatically rotatable about a pivot axis, automatically movable along a vertical axis into and out of cutting contact with a workpiece, and automatically rotatable along a bevel axis, the apparatus able to automatically cut the workpiece at a bevel angle using a stab cut by automatically moving the workpiece along its longitudinal axis using the linear feed assembly and simultaneously automatically moving the cutting assembly along the vertical axis.
2. (Currently Amended) An apparatus as in Claim 1 wherein the cutting blade is further automatically movable along a transverse axis, the apparatus able to cut the workpiece at a ~~compound bevel~~ cut using a stab cut ~~and thereafter in combination with~~ cutting the workpiece while automatically moving the blade along the transverse axis.
3. (Currently Amended) An apparatus as in Claim 1 further comprising a computer assembly for operating and controlling movement of the cutting assembly ~~blade~~.
4. (Currently Amended) An apparatus as in Claim 1, the cutting blade having a maximum cut length ~~longer~~ shorter than the length of the ~~compound bevel~~ cut.
5. (Original) An apparatus as in Claim 1, the blade having a maximum cut length of at least six inches.

6. (Original) An apparatus as in Claim 5 further comprising upstream and downstream feed assemblies operable to clamp and move workpieces, sense the presence or absence of a workpiece, determine the length of a workpiece, and position the workpiece for cutting at a selected length.
7. (Original) An apparatus as in Claim 1, the blade having a maximum cut length of at least ten inches.
8. (Original) An apparatus as in Claim 1 wherein the apparatus is able to cut the workpiece at other than a ninety-degree bevel cut.
9. (Currently Amended) An apparatus for cutting a workpiece, the apparatus comprising:
 - a linear feed system for automatically moving a workpiece forward and backward along its longitudinal axis; and
 - a cutting assembly having a cutter blade capable of automatically cutting the workpiece using a stab cut, the apparatus capable of automatically moving the workpiece along its longitudinal axis and simultaneously automatically cutting the workpiece using a stab cut to create a bevel cut on the workpiece.
10. (Original) An apparatus as in 9 wherein the cutting blade is further automatically movable along a transverse axis and is capable of cutting the workpiece using a stab cut in combination with a transverse cut.
11. (Original) An apparatus as in Claim 9 further comprising a computer assembly for operating and controlling movement of the cutting blade.
12. (Original) An apparatus as in Claim 9, the cutter blade having a maximum cut length greater than the length of the bevel cut.

13. (Original) An apparatus as in Claim 9 wherein the bevel cut is a ninety-degree bevel cut.
14. (Currently Amended) An apparatus for cutting a workpiece, the apparatus comprising:
a linear feed assembly for automatically moving a workpiece forward and backward along its longitudinal axis; and
a cutting assembly having a cutting blade, the cutting assembly capable of cutting the workpiece using a stab cut, the cutting blade having a maximum cut length, the apparatus and capable of automatically creating a bevel cut by simultaneously moving the workpiece along its longitudinal axis and automatically cutting the workpiece using a stab cut, wherein the length of the bevel cut is greater than the cut length of the blade.
15. (Original) An apparatus as in 14 wherein the cutting blade is further automatically movable along a transverse axis.
16. (Currently Amended) An apparatus as in Claim ~~46~~ 14 wherein the cutting blade is operable to automatically create at least one bevel cut on a workpiece, at least one transverse cut on the workpiece, and at least one scarf cut on the workpiece.
17. Canceled.
18. Canceled.
19. Canceled.
20. Canceled.